

World Class **Cooling**
Price Less **Quality**
User Friendly **Technology**



Chill with Elan

Chest Freezers and Chillers
from 100 ltrs. to 818 ltrs.



EF 825



EF 455/EF 555



EKG 305A/EKG 405A



EKG 215 D / 315 D / 415 D

Retail Freezers



EKG 155 D



PCF 110



Upright Showcase Chiller & Freezer from 200 ltrs. to 1500 ltrs.

Display Chiller
with LED Light

Display Freezer
with LED Light



ECG 625 DD




ECG 1100/EFVG 1000



ECG 1500/EFVG 1500



EFGV 450



EFGV 400



ECG 205/305/405


Island Showcase



EIL 45



EIL 65



EFGV 201

Technical Specification

DESCRIPTION	EKG 155 D	EKG 215 D	EKG 315 D	EKG 415 D	EKG 250 D	EKG 310 D	EKG 410 D	EKG 625 D	EKG 105	EKG 205A	EKG 305A	EKG 405A	EKG 650	EF 105	EF 215	EF 305	EF 455	EF 555	EF 825	EF 405 Combi
Type	Curve Glass Top Freezer								Flat Glass Top Freezer					Hard Top Chest Freezer cum Cooler						
Capacity (Litres)	150	205	300	400	250	310	410	625	100	205	300	400	650	100	210	300	410	520	818	225F+175C
External Dim.- (Inches)																				
Width	23	30	41	48	32	39	48	71	22	35	40	48	71	22	30	44	49	65	95	52
Depth	28	26	27	27	27	27	27	27	22	22	28	28	27	23	29	24	30	28	29	27
Height	37	35	34	34	34	34	34	36	33	33	33	33	33	33	33	33	36	33	33	39
Baskets / Shelves Qty.	2	3	4	5	3	4	6	9	2	3	4	4	9	1	1	2	2	2	3	2
No. of Door/Type	2/Glass	2/Glass	2/Glass	2/Glass	2/Glass	2/Glass	2/Glass	2/Glass	2/Glass	2/Glass	2/Glass	2/Glass	2/Glass	1/Solid	1/Solid	1/Solid	2/Solid	2/Solid	3/Solid	2/Solid
Temperature range - °C	-16°C ~ -24°C								-16°C ~ -24°C					2°C ~ 8°C / -10°C ~ -25°C						
Castors	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Lock	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

* High Density thickness of 82mm.

Technical Specification

DESCRIPTION	EFGV 201	EFGV 400	EFGV 450	EFGV 1000	EFGV 1500	ECG 205	ECG 305	ECG 405	ECG 625 DD	ECG 1100	ECG 1500	EIL 45	EIL 65	PCF 110	PCF 200	
Type	Upright Freezer*					Upright Chiller							Island Showcase		Push Cart Freezer	
Capacity (Litres)	200	400	450	950	1500	200	300	400	625	1100	1500	399	660	110	200	
External Dim. (Inches)																
Width	19	26	27	54	81	20	23	26	36	48	81	63	67	38	41	
Depth	28	26	28	28	28	23	25	25	29	28	28	28	36	25	25	
Height	61	87	78	77	78	54	66	76	85	77	78	35	35	28	34	
Baskets / Shelves Qty.	3	5	5	10	15	3	4	4	3	10	15	4x2	4x3	NA	NA	
No. of Door/Type	1/Glass	1/Glass	1/Glass	2/Glass	3/Glass	1/Glass	1/Glass	1/Glass	2/Glass	2/Glass	2/Glass	2/Glass	2/Glass	1/Glass	2/Glass	
Temperature range-°C	-16°C ~ -24°C					1°C ~ 10°C							0°C ~ 10°C / -12°C ~ -23°C		-18°C ~ -30°C	
Castors	Yes	Yes	Yes	Yes	No	Yes	Yes	Yes	No	Yes	No	NA	NA	NA	NA	
Lock	No	Yes	Yes	Yes	No	Yes	Yes	Yes	No	Yes	No	NA	NA	NA	NA	

Electricals : 220V, 50Hz. Single phase specifications, features and colours are subject to change without any notice, due to continuous product development.

* At 32°C ambient

Authorised Distributor



Customer Care : +91-88823 02532 ■ Email : care@elanpro.net
 Enquiry : +91-901510 6925, 080-4163 8274 ■ Email : enquiry@elanpro.net
 Facebook : www.facebook.com/elanprogroup ■ Website : www.elanpro.net

Upright Showcase Chiller & Freezer from 200 ltrs. to 1100 ltrs.



Display Freezer
with LED Light

Display Chiller
with LED Light



Frost Free



Island Showcase

Technical Specification

DESCRIPTION	EKG 155 D	EKG 215 D	EKG 315 D	EKG 415 D	EKG 250 D	EKG 310 D	EKG 410 D	EKG 625 D	EKG 105	EKG 205A	EKG 305A	EKG 405A	EKG 650	EF 105	EF 215	EF 305	EF 455	EF 555	EF 825	EF 405 Combi	
Type	Curve Glass Top Freezer								Flat Glass Top Freezer					Hard Top Chest Freezer cum Cooler							
Capacity (Litres)	150	205	300	400	250	310	410	625	100	205	300	400	650	100	210	300	410	520	818	225F+175C	
External Dim.- (Inches)																					
Width	23	30	41	48	32	39	48	71	22	35	40	48	71	22	30	44	49	65	95	52	
Depth	28	26	27	27	27	27	27	27	22	22	28	28	27	23	29	24	30	28	29	27	
Height	37	35	34	34	34	34	34	36	33	33	33	33	33	33	33	33	36	33	33	39	
Baskets / Shelves Qty.	2	3	4	5	3	4	6	9	2	3	4	4	9	1	1	2	2	2	3	2	
No. of Door/Type	2/Glass	2/Glass	2/Glass	2/Glass	2/Glass	2/Glass	2/Glass	2/Glass	2/Glass	2/Glass	2/Glass	2/Glass	2/Glass	1/Solid	1/Solid	1/Solid	2/Solid	2/Solid	3/Solid	2/Solid	
Temperature range - °C	-16°C ~ -24°C								1°C ~ 10°C					0°C ~ 10°C / -12°C ~ -23°C							
Castors	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Lock	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	

* High Density thickness of 82mm.

Technical Specification

DESCRIPTION	EFGV 201	EFGV 400	EFGV 450	EFGV 1000	ECG 205	ECG 305	ECG 405	ECG 625 DD	ECG 1100	EIL 45	EIL 65	PCF 110	PCF 200
Type	Upright Freezer*				Upright Chiller					Island Showcase		Push Cart Freezer	
Capacity (Litres)	200	400	450	950	200	300	400	625	1100	399	660	110	200
External Dim. (Inches)													
Width	19	26	27	54	20	23	26	36	48	63	67	38	41
Depth	28	26	28	28	23	25	25	29	28	28	36	25	25
Height	61	87	78	77	54	66	76	85	77	35	35	28	34
Baskets / Shelves Qty	3	5	5	10	3	4	4	3	10	4x2	4x3	NA	NA
No. of Door/Type	1/Glass	1/Glass	1/Glass	2/Glass	1/Glass	1/Glass	1/Glass	2/Glass	2/Glass	2/Glass	2/Glass	1/Glass	2/Glass
Temperature range-°C	-16°C ~ -24°C				1°C ~ 10°C					0°C ~ 10°C / -12°C ~ -23°C		-18°C ~ -30°C	
Castors	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	NA	NA	NA	NA
Lock	No	Yes	Yes	Yes	Yes	Yes	Yes	No	Yes	NA	NA	NA	NA

Electricals : 220V, 50Hz. Single phase specifications, features and colours are subject to change without any notice, due to continuous product development.

* At 32°C ambient

Authorised Distributor



Customer Care : +91-88823 02532 ■ Email : care@elanpro.net
 Enquiry : +91-901510 6925, 080-4163 8274 ■ Email : enquiry@elanpro.net
 Facebook : www.facebook.com/elanprogroup ■ Website : www.elanpro.net