



Chill with Elan

KITCHEN
REFRIGERATION

2018

About Elanpro

- ❖ Elan Professional Appliances (ELANPRO) is a young company founded by professionals who have a combined experience of over 80 years in the Indian Refrigeration & Food Service industry. They bring rich entrepreneurial experience of having setup and run a company successfully and built highly respected brands along with a good mix of corporate exposure at the highest level.
- ❖ We offer international range of refrigeration products and food-service solutions known for its quality for hotels, restaurants, bars, coffee shops and segments like Food, beverage & ice cream & modern retail and the healthcare.

Our Strength

Enduring Alliances: Enjoys enduring alliances with globally renowned brands like Vin Service and SPM of Italy. Our products have global leadership in their segment and offer innovative solutions for Beverage and Frozen Beverage dispensing.

National Footprint: Has pan-India distribution network (branches, satellite offices and 260 channel partners) across 29 Indian states/Union Territories. Strong presence in relatively emerging states in the upcountry with a growing market.

Thriving Relationships: Strong distribution network through 260 dealers in 2017. Relationship dating back to 2009.

Brand: Successful proprietary brand (Elanpro) a synonym for Quality Commercial Refrigeration and Beverage products.

International Quality: Markets products of dependable quality (outsourced and proprietary).

Consistent Growth: Topline has grown at a CAGR of 30% over 8 years, beating the industry average, enhancing banker and vendor confidence.

Inventory Management: Robust inventory management implying an easy availability of fast moving products.

Data Backbone: Intelligent Software system backbone with online connectivity to provide real-time information for faster decision-making.

OUR FOCUS SEGMENTS



Bar Refrigeration



Medical Refrigeration



Professional Kitchen



Showcase Display



Retail Refrigeration



Beverage Dispenser

Some of Our Customers



Kitchen Refrigeration-2 Door Reach In Chiller & Freezer

Key Specification

- ❖ Static cooling with fan for uniform cooling
- ❖ Tropicalized to perform at 40°C Ambient
- ❖ DANFOSS/EMBRACO Compressor
- ❖ Dixell Controller
- ❖ EBM Fan Motor
- ❖ SS 304 Food Grade Steel Interior
- ❖ Complete SS body
- ❖ Lockable Castors
- ❖ Lock
- ❖ Environment Friendly Refrigerant
 - R134A for Chiller
 - R404A for Freezer
- ❖ Pullout Gasket



Model:	RI 550 C	RI 550 F
Description:	2 Door Reach In Chiller	2 Door Reach In Freezer
Capacity:	550 Ltrs.	550 Ltrs.
Temperature:	2°C ~ 10°C	-10°C ~ -20°C
External Dimension: : W x D x H (Inch)	25 X 30 X 77	25 X 30 X 77
No. Of Shelves:	3	3

Kitchen Refrigeration-2 Door Reach In Chiller & Freezer

Key Specification

- ❖ Frost free
- ❖ Tropicalized to perform at 43°C Ambient
- ❖ DANFOSS/EMBRACO Compressor
- ❖ Dixell Controller
- ❖ EBM Fan Motor
- ❖ SS 304 Food Grade Steel Interior
- ❖ Complete SS body
- ❖ Lockable Castors
- ❖ Lock
- ❖ Environment Friendly Refrigerant
R134A for Chiller
R404A for Freezer
- ❖ Pullout Gasket
- ❖ GN Pan Compatible



Model:	EGN 600 C2	EGN 600 F2	EGN 600 Combi
Description:	2 Door Reach In Chiller	Reach In Freezer	Combi Reach In Chiller & Freezer
Capacity:	600 Ltrs.	600 Ltrs.	300+300 Ltrs.
Temperature Range: °C	-2°C ~ 10°C	-16°C ~ -22°C	2°C ~ 10°C / -10°C~-20°C
No. of shelves:	3	3	3
External Dimension: : W x D x H (Inch)	27 X 32 X 79	27 X 32 X 79	27 X 32 X 79

Kitchen Refrigeration-2 Door Reach In Chiller & Freezer

Key Specification

- ❖ Frost Free
- ❖ Tropicalized to perform at 43°C Ambient
- ❖ DANFOSS/EMBRACO Compressor
- ❖ Dixell Controller
- ❖ EBM Fan Motor
- ❖ SS 304 Food Grade SS Interiors & Exteriors
- ❖ Complete SS Body
- ❖ Lockable Castors
- ❖ Lock
- ❖ Environment Friendly Refrigerant
R134A for Chillers
R404A for Freezers
- ❖ Pullout Gasket
- ❖ Heater for No Condensation



Model:	EGN 650 C2	EGN 650 F2
Description:	2 Door Reach In Chiller	2 Door Reach In Freezer
Capacity:	650 Ltrs.	650 Ltrs.
Temperature Range: °C	2°C ~ 10°C	-16°C ~ -22°C
No. of shelves:	3	3
External Dimension: : W x D x H (Inch)	29 X 33 X 79	29 X 33 X 79

Kitchen Refrigeration- Reach In Fish Chiller

Key Specification

- ❖ Available in Static and Frost Free version
- ❖ Tropicalized to perform at 40°C Ambient
- ❖ DANFOSS/EMBRACO Compressor
- ❖ Dixell Controller
- ❖ EBM Fan Motor
- ❖ SS 304 Food Grade Steel Interior
- ❖ Complete SS Body
- ❖ Lockable Castors
- ❖ Lock
- ❖ Environment Friendly Refrigerant R134A for Chiller
- ❖ Pullout Gasket
- ❖ GN Pan compatible 2xGN 1/1



Model:	EGN 600 Fish
Description:	Reach In Fish Chiller
Capacity:	600 Ltrs.
Temperature Range: °C	2°C ~ 8°C
No. of shelves:	6
External Dimension: : W x D x H (Inch)	27 X 33 X 79

Kitchen Refrigeration-4 Door Reach In Chiller & Freezer

Key Specification

- ❖ Static cooling with fan for uniform cooling
- ❖ Tropicalized to perform at 40°C Ambient
- ❖ DANFOSS/EMBRACO Compressor
- ❖ Dixell Controller
- ❖ EBM Fan Motor
- ❖ SS 304 Food Grade SS interior
- ❖ Lockable Castors
- ❖ Lock
- ❖ Environment Friendly Refrigerant
 - R134A for Chiller
 - R404A for Freezer
- ❖ Pullout Gasket



Model:	RI 1100 C	RI 1100 F	RI 1100 CF
Description:	4 Door Reach In Chiller	4 Door Reach In Freezer	Combi Reach In Freezer & Chiller
Capacity:	1100 Ltrs.	1100 Ltrs.	1100 Ltrs.
Temperature Range: °C	2°C ~ 10°C	-10°C ~ -20°C	2°C ~ 10°C -10°C ~ -20°C
No. of shelves:	48 X 30 X 77	48 X 30 X 77	48 X 30 X 77
External Dimension: : WxDxH (Inch)	6	6	6

Kitchen Refrigeration-4 Door Reach In Chiller & Freezer

Key Specification

- ❖ Frost free
- ❖ Tropicalized to perform at 43°C Ambient
- ❖ DANFOSS/EMBRACO Compressor
- ❖ Dixell Controller
- ❖ EBM Fan Motor
- ❖ SS 304 Food Grade SS Interior
- ❖ Complete SS body
- ❖ Lockable Castors
- ❖ Lock
- ❖ Environment Friendly Refrigerant
 - R134A for Chiller
 - R404A for Freezer
- ❖ Pullout Gasket
- ❖ GN Pan compatible



Model:	EGN 1200 C4	EGN 1200 F4
Description:	4 Door Reach In Chiller	4 Door Reach In Chiller
Capacity:	1200 Ltrs.	1200 Ltrs.
Temperature Range: °C	2°C ~ 8°C	-18°C ~ -22°C
External Dimension: : W x D x H (Inch)	54 X 21 X 35	54 X 21 X 35

Kitchen Refrigeration-4 Door Reach In Chiller & Freezer

Key Specification

- ❖ Frost Free
- ❖ Tropicalized to perform at 38°C Ambient
- ❖ DANFOSS/EMBRACO Compressor
- ❖ Dixell Controller
- ❖ EBM Fan Motor
- ❖ SS 304 Food Grade SS Interior
- ❖ Lockable Castors
- ❖ Lock
- ❖ Environment Friendly Refrigerant
R134A for Chiller
R404A for Freezer
- ❖ Pullout Gasket
- ❖ GN Pan compatible



Model:	EGN 1410 C4	EGN 1410 F4
Description:	4 Door Reach In Chiller	4 Door Reach In Freezer
Capacity:	1410 Ltrs.	1410 Ltrs.
Temperature Range: °C	2°C ~ 10°C	-16°C ~ -22°C
No. of shelves:	6	6
External Dimension: : W x D x H (Inch)	58 X 33 X 79	58 X 33 X 79

Kitchen Refrigeration-4 Door Reach In Chiller & Freezer

Key Specification

- ❖ Frost Free
- ❖ Tropicalized to perform at 38°C Ambient
- ❖ DANFOSS/EMBRACO Compressor
- ❖ Dixell Controller
- ❖ EBM Fan Motor
- ❖ SS 304 Food Grade SS Interior
- ❖ Lockable Castors
- ❖ Lock
- ❖ Environment Friendly Refrigerant
R134A for Chiller
R404A for Freezer
- ❖ Pullout Gasket
- ❖ GN Pan compatible



Model:	EGN 1410 CG	EGN 1410 FG
Description:	4 Door Reach In Chiller	4 Door Reach In Freezer
Capacity:	1410 Ltrs.	1410 Ltrs.
Temperature Range: °C	2°C ~ 10°C	-16°C ~ -22°C
No. of shelves:	6	6
External Dimension: : W x D x H (Inch)	58 X 33 X 79	58 X 33 X 79

Key Specification

- ❖ Frost Free
- ❖ Tropicalized to perform at 38°C Ambient
- ❖ DANFOSS/EMBRACO Compressor
- ❖ Dixell Controller
- ❖ EBM Fan Motor
- ❖ SS 304 Food Grade SS interior
- ❖ Complete SS body
- ❖ Lockable Castors
- ❖ Lock
- ❖ Environment Friendly Refrigerant
R134A for Chiller
R404A for Freezer
- ❖ Removal Gasket
- ❖ GN Pan compatible




Model:	EGN 2100 C	EGN 2100 F
Description:	2 Door Under Counter Chiller	2 Door Under Counter Freezer
Capacity:	265 Ltrs.	265 Ltrs.
Temperature Range: °C	2°C ~ -10°C	-16°C ~ -22°C
No. of shelves:	2	2
External Dimension: : W x D x H (Inch)	54 X 28 X 34	54 X 28 X 34
GN Compatibility:	1 x GN1/1	1 x GN1/1

Key Specification

- ❖ Frost Free
- ❖ Tropicalized to perform at 38°C Ambient
- ❖ DANFOSS/EMBRACO Compressor
- ❖ Dixell Controller
- ❖ EBM Fan Motor
- ❖ SS 304 Food Grade SS interior
- ❖ Complete SS body
- ❖ Lockable Castors
- ❖ Lock
- ❖ Environment Friendly Refrigerant
 - R134A for Chiller
 - R404A for Freezer
- ❖ Pullout Gasket
- ❖ GN Pan compatible



Model:	EGN 3100 C	EGN 3100 F
Description:	3 Door Under Counter Chiller	3 Door Under Counter Freezer
Capacity:	400 Ltrs.	400 Ltrs.
Temperature Range: °C	2°C ~ 10°C	-16°C ~ -22°C
No. of shelves:	3	3
External Dimension: : W x D x H (Inch)	71 X 28 X 34	71 X 28 X 34
GN Compatibility:	1 x GN1/1	1 x GN1/1



*Optional
Top*

*Optional
Door/
Drawer*

Elanpro Undercounter

The Undercounters come with a various counter top and door/drawer options thereby enhancing convenience and saving time & space that helps kitchen professionals to work more effectively.



**Option of 2 or 3 drawers
instead of door
for GN Series**



FLEXI DRAWER COUNTER

Key Specification

- ❖ CFC free refrigerant and foam
- ❖ User friendly
- ❖ Change drawer temperature from fridge to freezer at the touch of a button
- ❖ Automatic energy saving hot gas defrost
- ❖ Magnetic gaskets
- ❖ GN 1/1 150mm deep pan capacity maximizes available storage space
- ❖ Climate class 5 (43°C ambient)
- ❖ AISI 304 stainless steel framework construction



Model:	Capacity: (Ltrs.)	Temperature: (°C)	External Dimension: W x D x H (Inch)	GN1/1: Pans	Power Supply: (V/Hz)
CBR1-2	78 Ltrs.	1°C ~4°C / -18°C~-21°C	36 X 28 X 8	2 Pcs	230V/50Hz
CBR1-3	116 Ltrs.	1°C ~4°C / -18°C~-21°C	48 X 28X 8	3 Pcs	230V/50Hz

FLEXI DRAWER COUNTER

Key Specification

- ❖ CFC free refrigerant and foam
- ❖ User friendly
- ❖ Change drawer temperature from fridge to freezer at the touch of a button
- ❖ Automatic energy saving hot gas defrost
- ❖ Magnetic gaskets
- ❖ GN 1/1 150mm deep pan capacity maximizes available storage space
- ❖ Climate class 5 (43°C ambient)
- ❖ AISI 304 stainless steel framework construction



Model:	Capacity: (Ltrs.)	Temperature: (°C)	External Dimension: W x D x H (Inch)	GN1/1: Pans	Power Supply: (V/Hz)
CBR2-2	179 Ltrs.	1°C ~4°C / -18°C~- 21°C	27 X 22 X 18	4 Pcs	230V/50Hz
CBR2-3	265 Ltrs.	1°C ~4°C / -18°C~- 21°C	39 X 22 X 18	6 Pcs	230V/50Hz

Key Specification

- ❖ Easy to clean 304 grade SS interior
- ❖ Complete SS body
- ❖ A unique, hinged night cover in pure SS for food safety
- ❖ Static cooling models with fan for uniform cooling
- ❖ Self closing door
- ❖ Removable gasket
- ❖ Digital temperature display



Model:	EPS 200
Description:	2 Door Under Counter with Prep Table
Capacity:	240 Ltrs.
Temperature:	2°C ~8°C
External Dimension: : W x D x H (Inch)	36 X 28 X 38
Number Of Pans:	5 x GN 1/6

Key Specification

- ❖ Easy to clean 304 grade SS interior
- ❖ Complete SS body
- ❖ A unique, hinged night cover in pure SS for food safety
- ❖ Static cooling models with fan for uniform cooling
- ❖ Self closing door
- ❖ Removable gasket
- ❖ Digital temperature display



Model:	EPS 300
Description:	3 Door Under Counter with Prep Table
Capacity:	360 Ltrs.
Temperature:	2°C ~8°C
External Dimension: : W x D x H (Inch)	54 X 28 X 38
Number Of Pans:	8 x GN 1/6

Key Specification

- ❖ Easy to clean 304 grade SS interior
- ❖ Complete SS body
- ❖ A unique, hinged night cover in pure SS for food safety
- ❖ Static cooling models are with fan for uniform cooling
- ❖ Self closing door
- ❖ Removable gasket
- ❖ Digital temperature display



Model:	ES 900
Description:	2 Door Salad Under Counter
Capacity:	240 Ltrs.
Temperature:	2°C ~ 10°C
External Dimension: : W x D x H (Inch)	36 X 28 X 34
No. of Pans:	2

Key Specification

- ❖ Easy to clean 304 grade SS interior
- ❖ Complete SS body
- ❖ A unique, hinged night cover in pure SS for food safety
- ❖ Static cooling models are with fan for uniform cooling
- ❖ Self closing door
- ❖ Removable gasket
- ❖ Digital temperature display



Model:	ES 903
Description:	3 Door Salad Under Counter
Capacity:	360 Ltrs.
Temperature:	2°C ~ 10°C
External Dimension: : W x D x H (Inch)	54 X 28 X 34
No. of Pans:	3

Key Specification

- ❖ Easy to clean 304 grade stainless steel interior and exterior
- ❖ A unique, hinged night cover in pure stainless steel for food safety
- ❖ Frost Free with fan for uniform cooling
- ❖ Self closing door
- ❖ Removable gasket
- ❖ Digital temperature display



Model:	ESH 2000
Description:	2 Door Salad Under Counter
Capacity:	337 Ltrs.
Temperature:	2°C ~8°C
External Dimension: : W x D x H (Inch)	60x32x42
No. of Pans	6 x GN 1/3

Kitchen Refrigeration-3 Door Salad Under Counter / Solid Top

Key Specification

- ❖ Easy to clean 304 grade stainless steel interior and exterior
- ❖ A unique, hinged night cover in pure stainless steel for food safety
- ❖ Frost Free with fan for uniform cooling
- ❖ Self closing door
- ❖ Removable gasket
- ❖ Digital temperature display



Model:	ESH 3000
Description:	3 Door Salad Under Counter / Solid Top
Capacity:	497 Ltrs.
Temperature:	2°C ~8°C
External Dimension: : W x D x H (Inch)	80 X 32 X 42
No. of shelves:	10 X GN 1/3

Key Specification

- ❖ Easy to clean steel body stainless steel interior and exterior
- ❖ SS304 stainless steel for food safety
- ❖ Static cooling
- ❖ Digital temperature display



Model:	EVRX 1400	EVRX 1200
Description:	Display Counter	Display Counter
Capacity:	NA	NA
Temperature:	2°C ~8°C	2°C ~8°C
External Dimension: : W x D x H (Inch)	56 X 13 X 17	48 X 13 X 17
No. of shelves:	6 x GN 1/4	5 X GN 1/4

Frost Top

Key Specification

- ❖ CFC Free
- ❖ Electronic control with digital display
- ❖ CE certification
- ❖ RoSH Compliant



Model:	Frost Tor 3F
Description:	Frost Top
Capacity:	NA
Temperature:	-10°C
External Dimension: : W x D x H (Inch)	44 X 27 X 17
No. Of Shelves:	NA

Cooling well

Key Specification

- ❖ CFC Free
- ❖ Electronic control with digital display
- ❖ CE certification
- ❖ RoSH Compliant
- ❖ Static & Ventilalted cooling option



Model:	EGN 3V/EGN 3
Description:	Ventilated / Static Cooling
Capacity:	NA
Temperature:	2°C~8°C
External Dimension: : W x D x H (Inch)	44 X 27 X 17
No. Of Shelves:	NA

Sushi Showcase

Key Specification

- ❖ LED Lamp
- ❖ Heated front glass
- ❖ Curved glass
- ❖ Glass can be open and remove by hand for easy cleaning



Model:	Capacity: (Ltrs.)	Temperature: (°C)	External Dimension: W x D x H (Inch)	Power Supply: (V/Hz)	Cooling Mode:
TS1200	1/3Gn Pan X 4	4°C ~8°C	47 X 15 X 11	230V/50Hz	Static
TS1500	1/3Gn Pan X 5	4°C ~8°C	59X 15 X 11	230V/50Hz	Static
TS1800	1/3Gn Pan X 7	4°C ~8°C	71 X 15 X 11	230V/50Hz	Static
TS2000	1/3Gn Pan X 8	4°C ~8°C	79 X 15X 11	230V/50Hz	Static

Key Specification

- ❖ CFC free refrigerant and foam
- ❖ Electric door mullion heater
- ❖ 75mm thickness insulation for excellent thermal efficiency
- ❖ Ventilated refrigeration compartment
- ❖ Dixell controller
- ❖ Compact footprints
- ❖ Danfoss refrigeration components
- ❖ Danfoss compressor
- ❖ EBM Fan
- ❖ GN compatible



Model:	D 3	D 5	D 10	D 14
Description:	Blast Chiller	Blast Chiller	Blast Chiller	Blast Chiller
Capacity:	139 Ltrs.	169 Ltrs.	368 Ltrs.	494 Ltrs.
Cooling Capacity:	12 Kg/8 Kg	18 Kg/14 Kg	40 Kg/28 Kg	55 Kg/38 Kg
External Dimension: : W x D x H (Inch)	31 X 32 X 37	31 X 32 X 40	31 X 32 X 65	31 X 32 X 85
Tray:	3	5	10	14
Power Supply:	230V/50Hz	230V/50Hz	230V/50Hz	380V / 50Hz

Ice Cream Display

Key Specification

- ❖ 8x1/6 GN PAN
- ❖ Digital temperature controller
- ❖ Folding complete glass cover
- ❖ Direct cooling system
- ❖ 8 scooping option for Ice cream



Model:	EFG 67BF
Description:	Ice Cream Display
External Dimension: W x D x H (Inch)	32 X 26 X 14
Capacity:	67 Ltrs.
Voltage/frequency: V/Hz	220-240V/50Hz
Temperature:	-18°C ~-25°C
Refrigerant Type :	R134a/R600a

LARGEST RANGE OF ICE MACHINE



EIM 101



EIM 351



EIM 1001


PLEASE ASK FOR DETAILED PRESENTATION ON ICE MACHINE

FACILITY

- 1. We provide warranty extension to our customers for better service & good relations with customers.**
- 2. Our service Team is available across India & is focused to provide quality service**



Presence and Channel Partners



The company has a nationwide presence with branch and satellite offices along with warehouses across all states and Union Territories with over 60 employees.

The company has extended its presence beyond metro cities to B,C and D class towns with a significant and growing presence in the upcountry hinterlands.

THANK YOU



Chill with Elan